Personal Teller Machine





SourceTechnologies®

Self-Service banking in the branch has become an integral part of branch transformation. As financial institutions evolve branch staff to more consultative roles, the use of technology is critical to automate the transactions historically handled by tellers.

When paired with software from one of our preferred partners, the Personal Teller Machine from Source Technologies communicates directly with the core platform, enabling your clients to conduct 90% of the transactions traditionally handled by a teller. It's the self-service option that allows consumers to decide how they want to bank in the branch.

8-SERIES

At just over 1 sq. ft, this solution is the smallest footprint in the banking kiosk industry and can be placed almost anywhere in the branch, no construction required.

- Client Authentication
- Account Data Retrieval
- Deposit (Cash / Check)
- Client Information Management
- Withdraw (Fast / Exact Cash)
- Account Transfer
- Loan Payment
- Official Check Printing
- Tablet Assist











- 19.5" Projective
 Capacitance
 Touchscreen
- 2 Camera
- 3 NFC Reader
- 4 Hybrid Magstripe/ EMV Card Reader
- Omni-directional Barcode Imager
- Encrypted
 PCI-Compliant
 PIN Pad
- 7 Thermal Receipt Printer
- MICR Check Scanner with Front / Back Imager
- 9 3000 Note Bulk Cash Acceptor
- 2500 Note Cash Dispenser

19.5' ULTRA HD MON- ITOR WITH INTEGRAT- ED TOUCHSCREEN AND PRIVACY FILTER	19.5"TFT-LCD Panel, 1080 x 1920 Resolution Touchscreen - Projective Capacitance Technology Touchscreen Cover Glass 2.8mm Privacy Filter 60.0° ± 10.0°
COMPUTING SYSTEM	INTEL i5 (Skylake) 6MB 2.3GHz 35W, RAM 8GB DDR4, Hard Drive, Solid State, 128GB, Long Life
WIRELESS MODULE	Wi-Fi Card Module, 802.11 a/b/g/n, 2.4/5GHz DUAL BAND
OPERATING SYSTEM	Windows 10
CAMERA	Resolution 5MP, Auto Focus
BULK NOTE CASH ACCEPTOR	Bill Cassette Capacity - 3000 Notes Max Input - 25 Notes 6 Denominations
CASH DISPENSOR	2500 Note Capacity 6 Denominations
SAFE	Day safe
CHECK SCANNER	Single Document Scan MICR Character Reader: CMC7, E13B Image Resolution - 200 x 200 dpi Gray Level - 8 bit @ 200 dpi Stacker - 150-200 Checks
RECEIPT PRINTER	Print Technology - Direct Thermal Print Width - 3" Print Resolution - 203 dpi Print Speed - 7ips Max Media - Approx. 230' on a 2.8" Diameter Roll Cutting Method - Partial Cut
CARD READER	Hybrid Magnetic Stripe/EMV Card Reader EMV Ver4.3 Approved
PIN PAD	Encrypted PIN Pad PCI-Compliant, PCI-PTS 3.x Certified Key Management: Master/Session, DUKPT Encryption Algorithms: AES, DES, and TDES for PIN Encryption
IMAGER	Omni-Directional Imager - ID and Barcode Scanning
NFC	NFC Contactless Reader Supporting: ApplePay, Visa, MasterCard, Amex, and others
KIOSK CONTROLLER	Control of Guidance Lights Monitor Vitals of Kiosk System Including: Temperature/Humidity, Security Switches, Receipt Paper Low, Tamper Via Internal Accelerometer
UPS	700 VA Output Power (utilize to complete current transaction if possible and provide a controlled shutdown of the system)
APPROACH SENSOR	Adjustable Sensor to Detect and Wake Up Transaction System When a Customer Approaches the Device (distance and walk-by traffic filter configurable)
KEYBOARD	USB-Internal (for maintenance purposes only)
DIMENSIONS	H 57.18", W 15.9", D 15.6"
WEIGHT	250 lbs